Student Name	
Date	

## All4You2! Student Knowledge Survey

Read each question carefully and mark the answer you think is the best response.

These words are used in this survey: having sex, STD and HIV. For this survey,

- having sex means vaginal sexual intercourse.
- **STD** stands for sexually transmitted disease or diseases. Some examples of STD are herpes, gonorrhea, syphilis, chlamydia and genital warts. Sometimes these are referred to as sexually transmitted infections (STI).
- HIV stands for human immunodeficiency virus.

		True	False	Not sure
1.	A person with an STD who looks and feels healthy cannot give the infection to others.	<b>O</b> <sub>1</sub>	$\mathcal{O}_2$	$\mathcal{O}_3$
2.	A sign of having an STD is pain or burning when urinating (peeing).	<b>O</b> <sub>1</sub>	$\mathcal{O}_2$	$\mathcal{O}_3$
3.	All STDs can be cured by taking medicine.	$\mathcal{O}_1$	$\mathcal{O}_{\scriptscriptstyle 2}$	$\mathcal{O}_3$
4.	Persons infected with STDs often do not have any signs of infection.	<b>O</b> <sub>1</sub>	$\mathcal{O}_2$	$\mathcal{O}_3$
5.	It is safe to start sex without a condom as long as the condom is put on before the man ejaculates.	<b>O</b> <sub>1</sub>	$O_2$	$\mathcal{O}_3$
6.	Condoms exposed to heat and sunlight may break more easily.	<b>O</b> <sub>1</sub>	$\mathcal{O}_2$	$\mathcal{O}_3$
7.	The best way to use a condom is to leave some space at the tip for the sperm.	<b>O</b> <sub>1</sub>	$\mathcal{O}_2$	$\mathcal{O}_3$
8.	A condom should be completely unrolled before it is placed on the penis.	<b>O</b> <sub>1</sub>	$\mathcal{O}_2$	$\mathcal{O}_3$
9.	It is safe to use oil with latex condoms.	$O_1$	$\mathcal{O}_2$	$\mathcal{O}_3$
10.	Most health clinics must have the permission of parents to test and treat people under 18 years old for STD (including HIV).	<b>O</b> 1	$\mathcal{O}_2$	$\mathcal{O}_3$

11. Can the following behaviors put you at risk for getting HIV?	Yes	No	Not sure
a. Sharing needles for tattooing or piercing	$\mathcal{O}_1$	$\mathcal{O}_2$	$\mathcal{O}_3$
b. Having sex without a condom	$\mathcal{O}_1$	$O_2$	$\mathcal{O}_3$
c. Donating blood	$\mathcal{O}_1$	$\mathcal{O}_2$	$\mathcal{O}_3$
d. Using the same condom twice	$\mathcal{O}_1$	$O_2$	$\mathcal{O}_3$
e. Hugging	$\mathcal{O}_1$	$\mathcal{O}_2$	$\mathcal{O}_3$

12. Which of the following methods are <u>effective</u> if used correctly to protect people from STD (including HIV) and pregnancy?	Protects from Pregnancy & STD/HIV	Protects from Pregnancy only	Protects from Neither
a. Choosing not to have sex (abstinence)	<b>O</b> <sub>1</sub>	$\mathcal{O}_{\scriptscriptstyle 2}$	$\mathcal{O}_3$
<ul> <li>b. Using hormone based birth control (e.g., the pill, Depo-Provera shot, patch, vaginal ring)</li> </ul>	<b>O</b> <sub>1</sub>	$\mathcal{O}_2$	$O_3$
c. Using latex condoms	$\mathcal{O}_1$	$\mathcal{O}_2$	$\mathcal{O}_3$
d. Using withdrawal	$\mathcal{O}_1$	$\mathcal{O}_2$	$\mathcal{O}_3$
e. Douching (washing out the vagina)	$\mathcal{O}_1$	$\mathcal{O}_2$	$\mathcal{O}_3$

## **End of Knowledge Survey**